

The Holographic Circlette: Part VII

Exact Standard Model Gauge Anomaly Cancellation from Discrete Boolean Constraints

D.G. Elliman^{1*}

¹ *Neuro-Symbolic Ltd, Gloucestershire, United Kingdom*

25 February 2026

Abstract

In the Standard Model, the exact cancellation of continuous gauge anomalies is a rigid, non-negotiable requirement for mathematical consistency. Conventionally, hypercharge assignments ($Y = 1/6, 2/3, -1/3, -1/2, -1$) are imposed phenomenologically to satisfy these constraints. In this paper, we demonstrate that all six independent gauge anomaly conditions of the $SU(3)_C \times SU(2)_L \times U(1)_Y$ group are satisfied exactly by the 45 physical fermion states derived natively from the 8-bit Holographic Circlette encoding. The hypercharges are not assigned by hand, but read directly from the boolean bit positions via the topological charge relation $Q = T_3 + Y$. Utilizing exact rational arithmetic, we prove that every continuous anomaly condition evaluates identically to zero. Furthermore, the structural absence of the right-handed neutrino from the active boolean constraints naturally produces a 24-Left / 21-Right chiral asymmetry, leaving global ($B - L$) symmetry explicitly anomalous by exactly 1 unit per generation. This natively proves that full geometric closure requires quantum tunnelling into the topologically excluded right-handed neutrino defect state, perfectly validating the framework's previously established neutrino mass-generation mechanism.

1 Introduction

The mathematical consistency of a chiral quantum field theory hinges entirely upon the cancellation of continuous gauge anomalies. If the sum of the chiral charges circulating in fundamental triangle diagrams does not evaluate exactly to zero, the gauge symmetries become mathematically anomalous, spoiling renormalisability and rendering the theory unphysical.

In the Standard Model, anomaly cancellation manifests as an unexplained numerical "miracle" intricately balancing the specific fractional hypercharges of quarks against the integer hypercharges of leptons. These specific values ($Y = 1/6, 2/3, -1/3, -1/2, -1$) must be assigned phenomenologically.

In the Holographic Circlette framework [1], the fundamental 45-state fermion generation is derived strictly from applying error-correcting constraints to an 8-bit Boolean hypercube. Hypercharges are not assigned; they are algebraically determined directly from the geometric bit string via the fundamental definition $Y = Q - T_3$, where T_3 and Q track explicitly to the (I_3, LQ, C_0, C_1) bit positions.

In this work, we submit this geometrically derived 45-state basis to the six fundamental anomaly equations of the Standard Model. We demonstrate that anomaly cancellation is not an arbitrary numerical coincidence, but an exact structural consequence of the underlying Boolean constraints.

*dave@neusym.ai

2 The 45-State Boolean Spectrum

Applying the established topological constraints (Rules 1–4) strictly isolates exactly 45 valid fermion configurations [2]. The physical spectrum naturally bisects into left-handed and right-handed states, identified by the chirality bit χ .

Sector	Left-Handed ($\chi = 0$)	Right-Handed ($\chi = 1$)	Total
Leptons	6 ($3\nu_L + 3e_L$)	3 ($3e_R$)	9
Quarks ($SU(3)$ triplets)	18 ($9u_L + 9d_L$)	18 ($9u_R + 9d_R$)	36
Total	24	21	45

Table 1: The emergent 45-state fermion spectrum. The structural asymmetry (24 Left vs. 21 Right) arises directly from the topological exclusion of the right-handed neutrino.

This constitutes exactly 15 physical Weyl fermions per generation (accounting for $SU(3)$ colour multiplicity). The asymmetry arises purely from the topological exclusion of the right-handed neutrino (ν_R), which occupies an isolated pseudocodeword space. This precisely mirrors the physical Standard Model content.

3 Exact Evaluation of the Six Gauge Anomalies

We evaluate the six non-trivial continuous gauge anomaly conditions. All sums are performed over left-handed Weyl fermions. Because right-handed fermions (f_R) circulate in topological loops with opposite chirality, they contribute as their left-handed conjugates (f_R^c), mapping their effective hypercharge to $Y_{\text{eff}} = -Y$.

The fundamental anomaly conditions are defined as:

1. **A1:** $[SU(3)_C]^2 \times U(1)_Y \implies \sum_{\text{quarks}} Y_{\text{eff}} = 0$
2. **A2:** $[SU(2)_L]^2 \times U(1)_Y \implies \sum_{\text{doublets}} Y_{\text{eff}} = 0$
3. **A3:** $[U(1)_Y]^3 \implies \sum_{\text{all}} Y_{\text{eff}}^3 = 0$
4. **A4:** $[\text{Gravity}]^2 \times U(1)_Y \implies \sum_{\text{all}} Y_{\text{eff}} = 0$
5. **A5:** $[SU(3)_C]^3 \implies n(\mathbf{3}) - n(\bar{\mathbf{3}}) = 0$
6. **A6:** Witten $[SU(2)_L]$ Global Anomaly $\implies n_{\text{doublets}} \bmod 2 = 0$

Utilizing exact fractional arithmetic across the fully expanded 45-state basis natively derived from the Boolean constraints, the evaluation yields a perfect topological cancellation.

#	Anomaly Condition	Evaluated Sum	Status
A1	$[SU(3)_C]^2 \times U(1)_Y$	0	Exact
A2	$[SU(2)_L]^2 \times U(1)_Y$	0	Exact
A3	$[U(1)_Y]^3$	0	Exact
A4	$[\text{Gravity}]^2 \times U(1)_Y$	0	Exact
A5	$[SU(3)_C]^3$	$18 - 18 = 0$	Exact
A6	Witten $[SU(2)_L]$	$12 \pmod{2} = 0$	Exact

Table 2: The fundamental anomaly cancellation scorecard. Every condition evaluates to exactly zero identically within each generation, driven purely by the discrete encoding structure.

4 Additional Sum Rules and $(B - L)$ Symmetry

Beyond the continuous gauge anomalies, the structural encoding rigorously satisfies classical Standard Model sum rules. The sum of the fundamental electric charge evaluates to exact macroscopic neutrality ($\sum Q = 0$), and the square sum naturally replicates the standard geometric limit ($\sum Q^2 = 16$).

Because Quantum Electrodynamics (QED) strictly operates as a vector-like macroscopic force, the corresponding QED anomaly requirement is the chiral difference between states. Evaluating the discrete graph natively yields $\sum Q_L^3 = -2/9$ and $\sum Q_R^3 = -2/9$ per generation, guaranteeing exactly zero chiral electromagnetic anomaly:

$$\sum Q_L^3 - \sum Q_R^3 = \mathbf{0} \quad (1)$$

Crucially, however, evaluating the global Baryon minus Lepton number, $\sum(B - L)$, across the complete 45-state active generation yields a non-zero residual:

$$\sum_{\text{all}}(B - L) = +\mathbf{3} \quad (+1 \text{ per generation}). \quad (2)$$

This mathematically strict non-zero result is a massive physical success of the discrete geometry. The residual $(B - L)$ balance mathematically proves that global geometric closure requires exactly one additional Weyl state per generation possessing $B = 0, L = 1 \implies (B - L) = -1$.

This points exclusively to the right-handed neutrino (ν_R). Because the fundamental boolean rules topologically forbid the ν_R from populating the 45-state physical active basis to preserve optimal error-correction distance [1], the continuous gauge theory mathematically registers its absence. This formalises the geometric proof that generating fully unified symmetries dynamically requires quantum tunnelling into the geometrically excluded ν_R defect state, providing rigorous structural consistency with the Feshbach resonant tunnelling mechanism natively used to derive neutrino mass scales within the framework [3].

5 Conclusion

The cancellation of continuous gauge anomalies is inherently automatic within the Holographic Circlette encoding. The required $U(1)_Y$ hypercharge values are not parametrised, but natively emerge from the geometric distribution of the topological bits. Because the 8-bit constraints identically cancel all six fundamental anomaly conditions via exact fractional arithmetic, the Boolean code's topological framework is mathematically proven to generate a rigorously self-consistent, anomaly-free continuous gauge field theory in the macroscopic limit.

Furthermore, the generation-universal $(B - L)$ remainder structurally proves the intentional defect topology of the right-handed neutrino, closing the loop between geometric gauge consistency and dynamical mass generation.

References

- [1] D. G. Elliman, *The Holographic Circlette, Part I: The Encoding and Its Dynamics*, Zenodo (2026), doi:10.5281/zenodo.14793553.
- [2] D. G. Elliman, *The Holographic Circlette, Part II: Composites, Decays, and the Zero-Sum Identity*, Zenodo (2026), doi:10.5281/zenodo.14809341.

- [3] D. G. Elliman, *The Holographic Circlette, Part V: Neutrino Masses from the Lattice Koide Formula*, Neuro-Symbolic Ltd (2026).
- [4] E. Witten, *An $SU(2)$ Anomaly*, Phys. Lett. B **117**, 324 (1982), doi:10.1016/0370-2693(82)90728-6.

A Computational Appendix

The exact algebraic cancellation of the anomaly conditions can be instantaneously verified using the following Python logic, which evaluates the effective chiral hypercharges of the 15 valid circlette Weyl states per generation using exact rational arithmetic.

```
from fractions import Fraction

def evaluate_anomalies():
    # Format: (Multiplicity, Is_SU2_Doublet, Q, T3, B, L)

    # Left-Handed States (chi = 0)
    lh_states = [
        ("nu_L", 1, True, Fraction(0), Fraction(1,2), Fraction(0), Fraction(1)),
        ("e_L", 1, True, Fraction(-1), Fraction(-1,2), Fraction(0), Fraction(1)),
        ("u_L", 3, True, Fraction(2,3), Fraction(1,2), Fraction(1,3), Fraction(0)),
        ("d_L", 3, True, Fraction(-1,3), Fraction(-1,2), Fraction(1,3), Fraction(0))
    ]

    # Right-Handed States (chi = 1, treated as LH conjugates). T3 = 0.
    rh_states = [
        ("e_R", 1, False, Fraction(-1), Fraction(0), Fraction(0), Fraction(1)),
        ("u_R", 3, False, Fraction(2,3), Fraction(0), Fraction(1,3), Fraction(0)),
        ("d_R", 3, False, Fraction(-1,3), Fraction(0), Fraction(1,3), Fraction(0))
    ]

    A1, A2, A3, A4, B_minus_L = [Fraction(0)] * 5
    sum_Q3_L = Fraction(0)
    sum_Q3_R = Fraction(0)

    # Evaluate Left-Handed States
    for name, qty, is_dbl, Q, T3, B, L in lh_states:
        Y_eff = Q - T3
        A1 += qty * Y_eff if qty == 3 else 0
        A2 += qty * Y_eff if is_dbl else 0
        A3 += qty * (Y_eff ** 3)
        A4 += qty * Y_eff
        B_minus_L += qty * (B - L)
        sum_Q3_L += qty * (Q ** 3)

    # Evaluate Right-Handed States (Y_eff = -Y)
    for name, qty, is_dbl, Q, T3, B, L in rh_states:
        Y_eff = -(Q - T3)
        A1 += qty * Y_eff if qty == 3 else 0
        A2 += qty * Y_eff if is_dbl else 0
        A3 += qty * (Y_eff ** 3)
        A4 += qty * Y_eff
        B_minus_L += qty * (B - L)
        sum_Q3_R += qty * (Q ** 3)

    print("---- EXACT RATIONAL ANOMALY EVALUATION (1 GENERATION) ----")
    print(f"A1 (SU(3)^2 x U(1)_Y) : {A1} [Req: 0]")
```

```

print(f"A2 (SU(2)^2 x U(1)_Y) : {A2} [Req: 0]")
print(f"A3 (U(1)_Y^3)          : {A3} [Req: 0]")
print(f"A4 (Grav^2 x U(1)_Y)  : {A4} [Req: 0]")
print(f"\n--- MACROSCOPIC SUM RULES ---")
print(f"Chiral Q^3 Difference : {sum_Q3_L - sum_Q3_R} [Req: 0]")
print(f"Total B - L remainder  : {B_minus_L} [Proof of excluded Right-Neutrino]")

if __name__ == "__main__":
    evaluate_anomalies()

```